

FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4





FIGURE 5






Example of tagged fluid.

Tagged fluid moulding the  
colonic semicircular folds

40 % 25-12.5-12.5 ml  
= TagitolV + cleansing

**FIGURE 6**




Example of tagged stool.

Same as previous

Examples of smaller and  
larger stool balls labeled  
with barium.

**FIGURE 7**




Example of tagged stool and small tagged fluid levels.

Same as previous

**FIGURE 8**





Large homogeneously tagged  
fluid levels in the transverse  
and descending colon.

Example of tagged fluid.

Tagitol (2.1 %) + cleansing

**FIGURE 9**



Non-tagged "material"  
Surrounded by a small  
Barium film. Image highly  
Suspicious of polypoid  
lesion, confirmed by  
conventional colonoscopy.

Example of polypoid lesion surrounded by tagged residue.

Tagitol V + cleansing

**FIGURE 10**



Large homogeneously  
tagged stool balls

Prepless  
Tagitol 2.1  
3 x 250  
1 day

Patient prepared without cathartic cleansing, with Nutra Prep,  
the hydration control and barium as the sole tagging agent.

**FIGURE 11**



A tiny barium film covers the colonic surface.  
An eventual polypoid lesion would easily be recognized as a non-tagged lesion.  
High densities are obtained.

Patient prepared without cathartic cleansing, with Nutra Prep,  
the hydration control and barium as the sole tagging agent.

Tagitol 2.1- no cath cleans - 1 day

## FIGURE 12